

1/27

PRIOR ART METHOD A




FIG. 1a

2/27

PRIOR ART METHOD B




FIG. 1b

3/27

METHOD OF THE INVENTION (METHOD 1)




FIG. 2a

4/27

METHOD OF THE INVENTION




FIG. 2b

5/27

METHOD OF THE INVENTION.




FIG. 2c

6/27

SUBMETHOD OF THE INVENTION




FIG. 3a

7/27

SUBMETHOD OF THE INVENTION




FIG. 3b

8/27

SUBMETHOD OF THE INVENTION




FIG. 3c



9/27




FIG. 4

10/27




FIG. 5

11/27




FIG. 6

12/27




FIG. 7

13/27




FIG. 8

14/27




FIG. 9

15/27





FIG. 10

16/27





17/27




FIG. 12

SPECIFIC IgE DETERMINED BY PRIOR ART METHOD B





FIG. 13



20/27

RATIO BETWEEN SPECIFIC IgE DETERMINED BY PRIOR ART METHOD B AND METHOD 1




FIG. 15

21/27





FIG. 16

22/27

FIG. 17



23/27





FIG. 18

24/27

FIG. 19





25/27




FIG. 20

26/27





FIG. 21

27/27

FIG. 22



NO EFFECT: INDIVIDUAL PATIENTS

